

References

[Index](#) | [Introduction](#) | [Smoking-Aware Practice](#) | [Quitlines](#) | [Supporting quit attempts](#)
[Pharmacotherapies](#) | [Alternative Approaches](#) | [Special Groups](#) | [References](#)

1. Lopez AD, Collishaw NE, Piha T. A descriptive model of the cigarette epidemic in developed countries. *Tob Control* 1994; 3: 242-247
2. Edwards R. The problem of tobacco smoking. *BMJ* 2004; 328: 217-219
3. World Health Organization. *The Tobacco Atlas*. Geneva 2002. http://www.who.int/tobacco/statistics/tobacco_atlas/en
4. Prabhat Jha, Chaloupka FJ, Corrao M, Binu J. Reducing the burden of smoking world-wide: effectiveness of interventions and their coverage. *Drug Alcohol Rev* 2006; 25: 597-609
5. Mackenbach JP. *Health inequalities: Europe in profile*. Rotterdam 2005 http://www.fco.gov.uk/Files/kfile/HI_EU_Profile,0.pdf
6. Bostock Y. Searching for the solution. Women, smoking and inequalities in Europe. Health Development Agency. London 2003 <http://www.inwat.org/pdf/INEQUALITIES.pdf>
7. Action on Smoking and Health (ASH) *Factsheet Number 11: Stopping Smoking* ASH 2007. <http://www.ash.org.uk>
8. WHO European Partnership Project to Reduce Tobacco Dependence. *WHO Evidence Based Recommendations on the Treatment of Tobacco Dependence*. Copenhagen. WHO.2001. <http://www.euro.who.int/document/e73285.pdf>
9. Jamrozik K. Population strategies to prevent smoking. *BMJ* 2004; 328: 759-762
10. Taylor T, Lader D, Bryant A, Keysee L, McDuff TJ, et al. Smoking-related behaviour and attitudes, 2005. London, ONS, 2006 www.statistics.gov.uk
11. Owen N, Wakefield M, Roberts L, Esterman A. Stages of readiness to quit smoking: population prevalence and correlates. *Health Psychol* 1992; 11: 413-417
12. Tobacco Advisory Group, Royal College of Physicians. *Nicotine Addiction in Britain*. London, Royal College of Physicians, 2000
13. Lancaster T, Stead LF. Physician advice for smoking cessation. *Cochrane Database of Systematic Reviews* 2004, Issue 4. Art. No.: CD000165. DOI: 10.1002/14651858.CD000165.pub2
14. The COMMIT Research group. Community Intervention trial for smoking cessation (COMMIT): II Changes in adult cigarette smoking prevalence. *Am J Pub Health*. 1995; 85:193-200
15. Baillie A, Mattick R, Hall W. Quitting smoking: estimation by meta-analysis of the rate of unaided smoking cessation. *Aust J Public Health*. 1995; 19:129-31
16. Zwar NA, Richmond RL. Role of the general practitioner in smoking cessation. *Drug Alcohol Rev* 2006; 25: 21-6
17. Duaso M, Cheung P. Health promotion and lifestyle advice in general practice: what do patients think? *J Adv Nurs*. 2002; 39: 472-9
18. Richmond R, Kehoe L, Heather N, Wodak A, Webster I. General practitioners' promotion of healthy life styles: what patients think. *Aust NZ J Pub Health*. 1996; 20: 195-200
19. Sciamanna C, Novak S, Houston T, Gramling R, Marcus B. Visit satisfaction and tailored health behavior communications in primary care. *Am J Prev Med*. 2004; 26: 426-30
20. Barzilai D, Goodwin M, Stange K. Does health habit counseling affect patient satisfaction? *Prev Med*. 2001; 33: 595-9
21. Svavarsdóttir MH, Hallgrímsdóttir G. Participation of Icelandic nurses in smoking cessation counselling. *J Clin Nurs* 2007; 16: 1-7
22. Litt J. How to provide effective smoking cessation advice in less than a minute without offending the patient. *Aust Fam Physician*. 2002; 31: 1087-94
23. Jarvis MJ. Why people smoke. *BMJ* 2004; 328: 277-9
24. Hughes JR. Effects of abstinence from tobacco: etiology, animal models, epidemiology, and significance: a subjective review. *Nicotine Tob Res*. 2007; 9: 329-39
25. Brown RA, Lejuez CW, Kahler CW, Strong DR, Zvolensky MJ. Distress tolerance and early smoking lapse. *Clin Psychol Rev*. 2005; 25: 713-33
26. Weinstein ND, Slovic P, Gibson G. Accuracy and optimism in smokers' beliefs about quitting. *Nicotine Tob Res*. 2004; 6 Suppl 3: S375-80
27. Coleman T, Wilson A. Anti-smoking advice in general practice consultations: general practitioners' attitudes, reported practice and preconceived problems. *Br J Gen Pract* 1996; 46: 87-91
28. Edwards D, Freeman T, Litt J, Roche A. GPs' confidence in and barriers to implementing smoking cessation activities: Compared to dentists, dental hygienists and pharmacists. *Aust J Primary Health* 2006; 12: 117-25

29. Twardella D, Brenner H. Lack of training as a central barrier to the promotion of smoking cessation: a survey among general practitioners in Germany. *Eur J Public Health*. 2005; 15: 140-
30. Lucan SC, Katz DL. Factors associated with smoking cessation counseling at clinical encounters: the Behavioral Risk Factor Surveillance System (BRFSS) 2000. *Am J Health Promot*. 2006; 21: 16-2
31. Vogt F, Hall S, Marteau TM. General practitioners' and family physicians' negative beliefs and attitudes towards discussing smoking cessation with patients: a systematic review. *Addiction*. 2005; 100: 1423-31
32. Young J, Ward J. Implementing guidelines for smoking cessation: advice in Australian general practice: opinions, current practices, readiness to change and perceived barriers. *Fam Pract*. 2001; 18: 14-20
33. Castaldo J, Nester J, Wasser T, Masiado T, Rossi M, Young M, et al. Physician attitudes regarding cardiovascular risk reduction: the gaps between clinical importance, knowledge, and effectiveness. *Dis Manag*. 2005; 8: 93-105
34. Anderson P, Jane-Llopis E. How can we increase the involvement of primary health care in the treatment of tobacco dependence? A meta-analysis. *Addictio n*. 2004; 99: 299-312
35. West R, McNeill A, Raw M. Smoking cessation guidelines for health professionals: an update. *Thorax* 2000; 55: 987-999
36. Litt J, Ling M-Y, McAvoy B. How to help your patients quit: practice-based strategies for smoking cessation. *Asia Pacific Fam Med* 2003; 2: 175-9
37. Lancaster T, Silagy C, Fowler G. Training health professionals in smoking cessation. *Cochrane Database of Systematic Reviews* 2000 Issue 3. Art. No.: CD000214. DOI: [10.1002/14651858.CD000214](https://doi.org/10.1002/14651858.CD000214)
38. Jamrozik K. Policy priorities for tobacco control. *BMJ* 2004; 328: 1007-9
39. Stead LF, Perera R, Lancaster T. Telephone counselling for smoking cessation. *Cochrane Database Systematic Reviews*. 2006 Jul 19;3CD002850
40. Ossip-Klein D, McIntosh S. Quitlines in North America: evidence base and application. *Am J Med Sci* 2003; 326: 201-205
41. Ossip-Klein D, Giovino G, Megahed N, et al. Effects of a smokers' hotline: results of a 10-country self-help trial. *J Consult Clin Psychol* 1991; 59: 325-32
42. Borland R, Segan CJ. The potential of quitlines to increase smoking cessation. *Drug Alcohol Rev*. 2006; 25: 73-8
43. Miller WR, Rollnick S. *Motivational interviewing, preparing people to change addictive behavior*. New York: The Guildford Press, 1991.
44. Rollnick S, Butler CC, McCambridge J, Kinnersey P, Elwyn G, Resnicow K. Consultations about changing behaviour. *BMJ* 2005; 331; 961-963.
45. Prochaska JO, DiClemente CC.. Stages and processes of self-change of smoking: towards an integrative approach. *J Consult Clin Psychol* 1983; 51: 390-5
46. Prignot J. A tentative illustration of the smoking initiation and cessation cycles. *Tob Control* 2000; 9: 11
47. Soria R, Legido A, Escolano C, López Yeste A, Montoya J, A randomised controlled trial of motivational interviewing for smoking cessation *Br J Gen Pract*. 2006; 56: 768-74.
48. Rubak S, Sandbaek A, Lauritzen T, Christensen B.. Motivational interviewing: a systematic review and meta-analysis. *Br J Gen Pract*. 2005; 55: 305-12
49. Fiore MC, Bailey WC, Cohen SJ, et al. *Treating tobacco use and dependence*. Rockville: US Department of Health and Human Services, Public Health Service; 2000
50. Aveyard P, West R. Managing smoking cessation. *BMJ* 2007;335;37-41
51. Silagy C, Lancaster T, Stead L, et al. Nicotine replacement therapy for smoking cessation. *Cochrane Database Systematic Reviews* 2004; 3: CD000146
52. Lancaster T, Stead LF. Individual behavioural counselling for smoking cessation *Cochrane Database Systematic Reviews* 2005; 2:CD001292
53. Ranney L, Melvin C, Lux L, et al. Systematic review: smoking cessation intervention strategies for adults and adults in special populations. *Ann Intern Med* 2006; 145: 845-856
54. Wu P, Wilson K, Dimoulas P, et al. Effectiveness of smoking cessation therapies: a systematic review and meta-analysis. *BMC Public Health* 2006; 6: 300
55. Molyneux A. Nicotine replacement therapy. *BMJ* 2004; 328; 454-4
56. Hughes J, Stead L, Lancaster T. Antidepressants for smoking cessation. *Cochrane Database Systematic Reviews* 2007; 1:CD000031
57. Roddy E. Bupropion and other non-nicotine pharmacotherapies. *BMJ* 2004; 328: 509-511
58. Foulds J, Steinberg MB, Williams JM, Ziedonis DM. Developments in pharmacotherapy for tobacco dependence: past, present and future. *Drug Alcohol Rev*. 2006; 25: 59-71
59. Henrichsen SH. *Helping patients quit smoking: brief interventions for healthcare professionals*. IPCRG Opinion 3. www.theipcr.org

60. Cahill K, Stead L, Lancaster T. Nicotine receptor partial agonists for smoking cessation. *Cochrane Database Syst Rev* 2007; Issue 1. Art. No.: CD006103. DOI: [10.1002/14651858.CD006103.pub2](https://doi.org/10.1002/14651858.CD006103.pub2)
61. Oncken C, Gonzales D, Nides M, et al. Efficacy and safety of the novel selective nicotinic acetylcholine receptor partial agonist, varenicline, for smoking cessation. *Arch Intern Med* 2006; 166: 1571-1577
62. Nides M, Oncken C, Gonzales D, et al. Smoking cessation with varenicline, a selective alpha4beta2 nicotinic receptor partial agonist: results from a 7-week, randomized, placebo- and bupropion-controlled trial with 1-year follow-up. *Arch Intern Med* 2006; 166: 1561-1568
63. Jorenby DE, Hays JT, Rigotti NA, et al. Efficacy of varenicline, an alpha4beta2 nicotinic acetylcholine receptor partial agonist, vs placebo or sustained release bupropion for smoking cessation: a randomized controlled trial. *JAMA* 2006; 296:56-63.
64. Gonzales D, Rennard SI, Nides M, et al. Varenicline, an alpha4beta2 nicotinic acetylcholine receptor partial agonist, vs sustained-release bupropion and placebo for smoking cessation: a randomized controlled trial. *JAMA* 2006; 296: 47-55
65. White A, Resch KL, Ernst E. A meta-analysis of acupuncture techniques for smoking cessation. *Tob Control* 1999; 8: 393-397
66. White AR, Rampes H, Campbell JL. Acupuncture and related interventions for smoking cessation. *Cochrane Database of Systematic Reviews Art. No.:* CD000009. DOI: [10.1002/14651858.CD000009.pub2](https://doi.org/10.1002/14651858.CD000009.pub2)
67. Abbot, Stead LF, White AR, Barnes J. Hypnotherapy for smoking cessation. Art. No.:CD001008. DOI: [10.1002/14651858.CD001008](https://doi.org/10.1002/14651858.CD001008)
68. Lumley J, Oliver S, Waters E. Interventions for promoting smoking cessation during pregnancy. *Cochrane Database Systematic Reviews* 2000;(2): CD001055.
69. Mitchell EA, Scragg R, Stewart AW, et al. Results from the first year of the New Zealand cot death study. *NZ Med J* 1991; 104: 71-76
70. Misra DP, Nguyen RH. Environmental tobacco smoke and low birth weight: a hazard in the work place? *Environ Health Perspect* 1999; 107: 897-890
71. Coleman T. Special groups of smokers *BMJ* 2004; 328: 575-577
72. Lee M, Hajek P, McRobbie H, Owen L. Best practice in smoking cessation services for pregnant women: results of a survey of three services reporting the highest national returns, and three beacon services. *J R Soc Health.* 2006; 126: 233-8
73. World Conference on Tobacco OR Health 2000. *Tobacco fact sheet.* August 2000 <http://tobaccofreekids.org/campaign/global/docs/facts.pdf>
74. Midford R, Munro G, McBride N, et al. Principles that underpin effective school-based drug education. *J Drug Educ* 2002;32:363-86
75. DiFranza JR, Savageau JA, Fletcher K, O'Loughlin J, Pbert L, Ockene JK, et al. Symptoms of tobacco dependence after brief intermittent use: the Development and Assessment of Nicotine Dependence in Youth-2 study. *Arch Pediatr Adolesc Med.* 2007; 161: 704-10
76. Klein JD. Adolescents and smoking: the first puff may be the worst. *Can Med Assoc J.* 2006; 175: 262
77. Grimshaw GM, Stanton A. Tobacco cessation interventions for young people. *Cochrane Database Systematic Reviews.* 2006(4):CD003289
78. McNeil A. *Smoking and mental health - a review of the literature* Smoke Free London Programme: London, 2001
79. Wilhelm K, Wedgwood L, Niven H, Lambkin F. Smoking cessation and depression: current knowledge and future directions. *Drug Alcohol Rev* 2006; 25: 97-107
80. RACGP. *Putting Prevention into Practice. Guidelines for the implementation of prevention in the general practice setting.* 2nd ed. Melbourne: RACGP 2006
81. Stange K, Flocke S, Goodwin M, Kelly R, Zyzanski S. Direct observation of rates of preventive service delivery by community family practice. *Prev Med.* 2000; 31: 167-76
82. Humair JP, Ward J. Smoking-cessation strategies observed in videotaped general practice consultations. *Am J Prev Med.* 1998; 14: 1-8
83. Rose G. Sick individuals and sick populations. *Int J Epidemiol.* 1985; 14: 32-8.